

[Updated Constantly]

HERE

## [Introduction to Linux I – Chapter 01 Exam Answers 2019 + PDF file](#)

1. Which command will send text to the terminal display:
  - **echo**
  - type
  - print
  - show
2. To replace the currently running shell, you can use:
  - dash
  - bash
  - **exec**
  - csh
3. To display your current location within the filesystem, you can type:
  - whereami
  - cwd
  - dir
  - **pwd**
4. The \_\_\_\_\_ command displays information about the Linux kernel:
  - kern
  - **uname**
  - real
  - linux
5. The basic form of a command line is:
  - **command [options...] [arguments...]**
  - command [arguments...] options
  - command arguments options
  - command [options...] arguments...
6. Bash is:
  - a website
  - a networking term
  - **a shell**
  - an operating system
7. The two login types are:
  - URI and CLU
  - **CLI and GUI**
  - URI and CLI
  - GUX and CLI
8. The core software component that tells the hardware what actions to take is called the \_\_\_\_\_.

- compiler
  - **kernel**
  - transmitter
9. A command can be: (choose three)
- **An alias**
  - A block
  - A configuration file
  - A variable
  - **A function**
  - **A program built-in to the shell**
10. Which of the following are valid command lines? (choose two)
- **ls /etc -l**
  - **ls -l /etc**
  - ls -/etc
  - -l ls /etc
11. You want to execute the ls command with two options: -r and -l. Which of the following are valid ways to run this command: (choose three)
- rl ls
  - **ls -r -l**
  - **ls -l -r**
  - ls -r -l
  - ls rl
  - **ls -rl**
12. You can pass arguments to long options by using which of the following techniques: (choose two)
- -option{argument}
  - -option~argument
  - **-option=argument**
  - **-option argument**
13. When typing a command, you can have the bash shell complete the command by pressing which key?
- The Up Arrow key
  - The Del key
  - The Backspace key
  - **The Tab key**
  - The Enter key
14. The location of users' default shells is stored in the \_\_\_\_\_ file.
- **/etc/passwd**
  - /etc/group
  - /etc/gshadow
  - /etc/shadow
15. Long command options are preceded by which two characters?

- &&
- —
- ||
- \*\*

16. Which two characters do you use to tell the command that you are finished providing options and that the remaining data on the command line is arguments?

- —
- \*\*
- ||
- &&

17. The \_\_\_\_\_ command will take another command for the argument to execute.

- exit
- uname
- **exec**
- pwd

18. The \_\_\_\_\_ option to the uname command will display the kernel name.

- **-s**
- -x
- -k
- -n

19. The \_\_\_\_\_ command will display your current working directory.

- uname
- exec
- **pwd**
- exit