

[Updated Constantly]

Introduction to Linux I - Chapter 05 Exam Answers 2019 + PDF file

- 1. The is command will list which of the following by default?
 - The root directory
 - The current directory
 - Nothing; it requires an argument
 - User's home directory
- 2. User home directories often contain hidden files.

True or False?

- True
- False
- 3. Use the ___ option to display hidden files with the is command.
 - -A
 - -h
 - -D
 - -a
- 4. The Is command can list the contents of only one directory at a time.

True or False?

- True
- False
- 5. The "." in an Is listing represents:
 - Directories that can't be accessed
 - Hidden files
 - The end of the command output
 - The current directory
- 6. To perform a "long listing" to show file details, use which of the following commands:
 - Is -D
 - Is -L
 - ||
 - Is -I
- 7. Using the touch command and specifying a nonexistent file...
 - prompts the user to create a file.
 - creates a blank file with that name.



- generates an error.
- does nothing.
- 8. The touch command can be used to change a file's time-stamp to something other than the current system time.

True or False?

- True
- False
- 9. By default, what does the cp command preserve from the original file?
 - The timestamps
 - The name
 - The permissions and ownership
 - The contents
- 10. To copy the contents of a directory, use the following option(s) for the cp command:

(choose two)

- -A
- -r
- -d
- -R
- 11. To maintain timestamps when using the cp command, use:
 - -T
 - -A
 - -a
 - -t
- 12. The my command can be used to move more than one file at a time.

True or False?

- True
- False
- 13. The my command will rename a file when a new directory is not specified.

True or False?

- True
- False
- 14. Which option for the rm command will cause it to prompt before deleting files?
 - -|
 - -p
 - -i
 - -a



15. Which option(s) for the rm command can be used to delete directories that contain
files? (choose two)
r
■ -R
■ -A
■ -D
16. The rm command can be used with glob characters to delete multiple files.
True or False?
• True
 False
17. The mkdir command cannot be used to:
Delete a directory
 Create new directories
Create multiple directories at once
 Create sub-directories in different parent directories
18. Which mkdir option should be used to create parent directories (that don't already
exist) along with the specified directory?
■ -F
■ -d
■ -A
p
19. The rmdir command can be used to delete directories and their contents.
True or False?
True
• False
20. The Is-I command output will not include:
File permissions
 Timestamp
 Hard link count
File contents
21. Which character at the beginning of a long listing indicates a directory?
• -
- I
■ C

22. Which character at the beginning of a long listing indicates a regular file?



	d
	_
	С
23. V	Which character at the beginning of a long listing indicates a symbolic link?
	d
	С
	_
	The state of the s
24. 1	The names of hidden files begin with the character.
	*
	>
	+
25. V	Which option to the Is command will sort the output by size instead of alphabetically?
	-r
	-S
	-S
	-t
26. V	Which option to the Is command will sort the output by time-stamp?
	-t
	-S
	-S
	-r
27. V	Which option to the Is command will reverse the sort order?
	-t
	-r
	-S
	-s
28. 1	The file command uses to determine file types.
	magic
	the "magic" file
	alchemy
	a random number generator
29. E	By default, using the touch command on an existing file will update the file's
	Timestamp



- Type
- Permissions
- Ownership