

# [Updated Constantly]

# HERE

# Introduction to Linux II - Chapter 14 Exam Answers 2019 + PDF file

- 1. Which class's IP addresses can be assigned to network interfaces?
  - Class A,B,C, D and E
  - Class A and B
  - Class A,B,C and D
  - Class A, B and C
- 2. This body is responsible for assigning public IP addresses:
  - Network Allocation Centre
  - InterNET
  - Network Information Association
  - InterNIC
- 3. Which of the following does not need a public IP address?
  - User's Computer Section
  - Email Server
  - DNS Server
  - Proxy Server
- 4. Which file is used for mapping the application services to their respective port numbers?
  - /etc/netservices
  - /etc/services
  - /etc/ports
  - /etc/network
- 5. The default route is the route that will be used when the router \_\_\_\_\_.
  - Finds a matching route in the routing table
  - Sends a minimum of one packet to a final destination
  - Does not have a route for the packet's destination in the routing table
  - Contains an empty routing table
- 6. Which is the standard port used for HTTP service?
  - **8**1
  - **120**
  - **2**3
  - **80**



7.	A server sends 2000 bytes of data but the client receives only 1200 bytes. The server
	continues sending data, though some packets are lost intermittently. This pattern
	indicates:

- UDP
- IP
- ICMP
- TCP
- 8. You are trying to telnet to a server and get a *Host unreachable error*. Which command will you use now to check the connectivity?
  - traceroute
  - ping
  - ip
  - netstat
- 9. The traceroute command can be used by regular and root users.

#### True or False?

- True
- False
- 10. The \_\_\_\_\_ command is used to do reverse IP address lookups.
  - hostname
  - netstat
  - uname
  - host
- 11. Which of the following is the subnet mask for Class B networks?
  - **255.255.255.0**
  - **255.255.0.0**
  - **255.255.** \*. \*
  - **224.224.224.0**
- 12. Which are the different types of IP addresses used on the Internet?
  - Public and Broadcast
  - Public and Private
  - Private and Proxy
  - Public and Proxy
- 13. The netstat command is used to add a route to the kernel's routing table.

#### True or False?

- True
- False



14. Which of the statements are not true about the rout	tina tab	le?
---	----------	-----

- The routing table can be modified by the root user only
- The ip command is used to set up routing
- The default gateway is not specified in the routing table
- The IP layer consults the routing table

15. Which pr	otocol uses	a sequence number	r mechanism to	ensure order	ed delivery of
data?					

- ICMP
- UDP
- IP
- TCP
- 16. The kernel's routing table is maintained by the IP protocol.
  - True
  - False
- 17. IPv6 addresses are based on \_\_\_\_\_:
  - 32 bits
  - 128 bits
  - 64 bits
  - 256 bits
- 18. Which protocol is used by the FTP daemon?
  - ICMP
  - FTP
  - UDP
  - TCP
- 19. What of the following is not true about the tracepath command?
  - Traces the path to a network host
  - Sends ICMP messages
  - Discovers maximum transmission unit (MTU) along the path
  - Can be used only by root user
- 20. What is used to partition a network into different logical networks?
  - Partitioning
  - Dividing
  - Masking
  - Subnetting
- 21. Given an IP address 10.11.15.8, the host ID derived from it is:
  - **11.15.8**



- **255.11.15.8**
- **1**0.11.15
- **1**0.11.15.0

22	What	ie	the	ci70	Ωf	IIDD	head	are?
	vviiat	13	HIC	3126	UI.	UDE	HEAU	51 <b>5</b> !

- Maximum 10 bytes
- 20 bytes
- 12 bytes
- 8 bytes

#### 23. Which file holds the list of the name servers?

- /etc/nameservers.conf
- /etc/host.conf
- /etc/dns.conf
- /etc/resolv.conf
- 24. The \_\_\_\_ command is used for troubleshooting the configuration of DNS servers.
  - find
  - ip
  - dig
  - host

### 25. Which of the following commands is used to telnet to port 33?

- telnet server\_name --33
- telnet server\_name
- telnet server\_name –p 33
- telnet server\_name 33

## 26. Which protocol does the ping command use?

- UDP
- ICMP
- TCP
- IP
- 27. The 4th octet is used for creating subnets for Class C networks.

#### True or False?

- True
- False
- 28. The \_\_\_\_\_ indicates the maximum number of IP routers that can route a packet.
  - Time to Live
  - Time to Route
  - Router Hops



- Time to Reach
- 29. FTP encrypts the user name and password entered by the user to log in.

### True or False?

- True
- False
- 30. If you want to FTP a zip file from your computer to the server, which mode will you use for file transfer?
  - Zip
  - Binary
  - ASCII
  - Default