

[Updated Constantly]

HERE

Linux Essentials – Chapter 14 Exam Answers 2019 + PDF file

- 1. UIDs 1-500 are usually reserved for what kind of users?
 - System accounts, such as server processes*
 - Are not used for user accounts, but for group accounts
 - Log-in (human) users
 - Remote log-in accounts
- 2. If a user is deleted, the files and directories that the user owned...
 - ...will show a UID as the owner, but not user name.*
 - ...will have no UID owner.
 - ...are deleted as well.
 - ...will have no user owner.
- 3. Which of the following options for the useradd command allows root to specify the UID to be associated with the account?
 - -U
 - -u*
 - -G
 - -g
- 4. Which of the following options for the useradd command allows root to specify supplementary groups the user will be a member of?
 - -G*
 - -u
 - U
 - -g
- 5. On a system that does not use UPG, the useradd command will also create a user group. For example, user bob, group bob.

True or False?

- True
- False*
- 6. The useradd command will create a home directory by default for a user.

True or False?

- True*
- False



- 7. The usermod command can be used to do all of the following except...
 - ...add a user to a supplementary group.
 - ...change the user's MAX and MIN password settings.*
 - ...change the user's home directory.
 - ...change the user's UID and GID.
- 8. Which of the following commands will add the group extra to the user bob's secondary groups in addition to bob's current secondary groups?
 - usermod -G extra bob
 - usermod -a extra bob
 - usermod -aG extra bob*
 - usermod -ag bob extra
- 9. Which option for the usermod command can be used to specify a user's group ID (either primary or secondary)? (choose two)
 - -q*
 - -G*
 - -S
 - -S
- 10. For non-root users, the passwd command can only be used to change the password of the user running the command. True or False?
 - True*
 - False

[wps_alert type="primary"]**Explain:** See Section 14.9[/wps_alert]

- 11. The userdel command will...
 - ...delete the user account, but leave the user's files by default.*
 - ...will prompt before deleting each file owned by a user.
 - ...automatically delete a user and the user's home directory and its contents.
 - ...automatically delete a user and all the files owned by that user.
- 12. The groupmod command can be used to change a group name.

True or False?

- True*
- False

[wps_alert type="primary"]**Explain:** See Section 14.3[/wps_alert]

13. The groupmod command can be used to change a group GID.

True or False?

- True*
- False



[wps alert type="primary"]**Explain:** See Section 14.3[/wps_alert]

14. The groupmod command can be used to add users to a group.

True or False?

- True
- False*
- 15. Which of the following commands can be used to modify a group?
 - groupadd
 - modgroup
 - addgroup
 - groupmod*

[wps_alert type="primary"]Explain: See Section 13.2.4[/wps_alert]

- 16. Which command can be used to determine a user's most recent log in?
 - last*
 - history
 - shell
 - login

[wps_alert type="primary"]**Explain**: See Section 14.11[/wps_alert]

- 17. Which of the following files contains encrypted user password information?
 - /etc/usr
 - /etc/shadow*
 - /etc/passwd
 - /etc/group
- 18. Which of the following files contains user IDs?
 - /etc/group
 - /etc/shadow
 - /etc/usr
 - /etc/passwd*
- 19. Which of the following files does the groupadd command use to determine the new GID when a GID isn't specified?
 - /etc/shadow
 - /etc/group*
 - /etc/passwd
 - /etc/usr
- 20. Which of the following commands, run as root, will prevent the user bob from logging in?
 - usermod -d bob



- usermod -l bob
- usermod -D bob
- usermod -L bob*
- 21. What directory contains user's home directories?
 - /
 - /home*
 - /rootfs
 - /user